Telefax: + 49 (0) 5281 9829860



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DEKASYL MS 2 WHITE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

No further relevant information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DINOL GmbH
Street: Pyrmonter Strasse 76
Place: D-32676 Luegde
Telephone: + 49 (0) 5281 982980

E-mail: msds@dinol.com

Contact person: Labor

Responsible Department: msds@dinol.com

Supplier

Company name:

Street:

Marston Business Park, Rudgate
Place:

GB Tockwith, York YO26 7QF

E-mail:

enquiries@leading-solvents.co.uk
Internet:

www.leading-solvents.co.uk

1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H332

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 2 of 10

Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation))		
13463-67-7	titanium dioxide			1 - < 2,5 %
	236-675-5	022-006-00-2	01-2119489379-17	
	Carc. 2; H351			
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane			1 - < 3 %
	220-449-8	014-049-00-0	01-2119513215-52	
	Flam. Liq. 3, Acute Tox. 4, Skin Se			
13822-56-5	3-Aminopropyltrimethoxysilan			1 - < 2,5 %
	237-511-5		01-2119510159-45	
	Skin Irrit. 2, Eye Dam. 1; H315 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	o Chemical name			
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE			
13463-67-7	236-675-5 titanium dioxide		1 - < 2,5 %		
	dermal: LD50 =	dermal: LD50 = > 10000 mg/kg; oral: LD50 = > 20000 mg/kg			
2768-02-7	2-7 220-449-8 trimethoxyvinylsilane; trimethoxy(vinyl)silane		1 - < 3 %		
	inhalation: LC50 = 16,79 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal:				
	LD50 = >3460-4	LD50 = >3460-4000 mg/kg; oral: LD50 = 7340-7460 mg/kg			

Further Information

The homogeneous mixing of this product is controlled by continuous physical tests. Formerly dusty raw materials are completely integrated into the liquid/pasty mass. Possible AGW-values for solid substances are therefore not given, as there is no longer any risk of inhalation of these substances (when handling this mixture).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 3 of 10

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder. Water fog.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eves and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage



according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 4 of 10

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect from moisture.

Hints on joint storage

No information available.

Further information on storage conditions

storage temperature: 10 - 35 °C

7.3. Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type	DNEL type		Effect	Value
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane			
Consumer DNI	EL, long-term	dermal	systemic	0,3 mg/kg bw/day
Consumer DNI	Consumer DNEL, acute		local	26,9 mg/person/day
Consumer DNI	Consumer DNEL, long-term		systemic	0,3 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	4,9 mg/m³
Worker DNEL, long-term		dermal	systemic	0,69 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,04 mg/m³
Consumer DNEL, acute		inhalation	local	93,4 mg/m³



according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 5 of 10

PNEC values

CAS No	Substance	
Environmental compartment Va		Value
2768-02-7 trimethoxyvinylsilane; trimethoxy(vinyl)silane		
Freshwater 0,34 mg/l		0,34 mg/l
Marine water		0,034 mg/l
Freshwater sediment 1,24		1,24 mg/kg
Marine sediment 0,		0,12 mg/kg
Micro-organisms in sewage treatment plants (STP)		110 mg/l
Soil 0,052		0,052 mg/kg

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141). Filter material/medium :A/P2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: pasty Colour: white

Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 6 of 10

Lower explosion limits:

Upper explosion limits:

not determined

Flash point:

not determined

Auto-ignition temperature:

Decomposition temperature:

pH-Value:

The study does not need to be conducted because the substance is

known to be insoluble in water.

Viscosity / kinematic: not determined Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 1,5 g/cm³ DIN 51757

Relative vapour density: not determined Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not determined

Sustaining combustion: No data available

Oxidizing properties not determined

Other safety characteristics

Solvent content: 0,00 %
Softening point: not determined
Viscosity / dynamic: 6000000 - 14000000 mPa·s

(at 20 °C)

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from moisture.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. exposure to cold. Do not freeze

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information



according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 7 of 10

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if inhaled. (On basis of test data)

ATEmix tested

Dose Species Source

 $\begin{array}{lll} \text{LD50, oral} & > 5000 \text{ mg/kg} \\ \text{LD50, dermal} & > 5000 \text{ mg/kg} \\ \text{LC50, inhalation (vapour)} & 630,2 \text{ mg/l} \\ \text{LC50, inhalation (dust/mist)} & > 5 \text{ mg/l} \\ \text{LC50, inhalation (gas)} & > 20000 \text{ ppm} \\ \end{array}$

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
13463-67-7	titanium dioxide					
	oral	LD50 > 20000 mg/kg	Rat			
	dermal	LD50 > 10000 mg/kg	Rabbit			
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane					
	oral	LD50 7340- 7460 mg/kg	Rat			
	dermal	LD50 >3460- 4000 mg/kg	Rabbit		OECD 406	
	inhalation (4 h) vapour	LC50 16,79 mg/l	Rat			
	inhalation dust/mist	ATE 1,5 mg/l				

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 8 of 10

Practical experience

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2768-02-7	88-02-7 trimethoxyvinylsilane; trimethoxy(vinyl)silane						
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 mg/l	>100		Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	>100		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane	1,1

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Do not mix with other wastes.

List of Wastes Code - residues/unused products



according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 9 of 10

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packaging

Dispose according to legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2004/42/EC on VOC in 0,00 % paints and varnishes: 0,00 g/l

Additional information

Observe in addition any national regulations!

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none



according to UK REACH Regulation

DEKASYL MS 2 WHITE

Revision date: 20.01.2025 Product code: 0966 Page 10 of 10

602351

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,11,15,16.

Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation Carc: Carcinogenicity

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Flammable liquid and vapour.

Classification	Classification procedure		
Acute Tox. 4; H332	On basis of test data		

Relevant H and EUH statements (number and full text)

	· · · · · · · · · · · · · · · · · · ·
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
EUH208	Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Further Information

H226

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)