

**DEKASEAL 1512 BLACK**

Date (latest revision): 27.02.2026

Product code: 1517

Page 1 of 9

**1. Identification**
**Product identifier**

DEKASEAL 1512 BLACK

**Relevant identified uses of the substance or mixture and uses advised against**
**Use of the substance/mixture**

Adhesives, sealants

**Uses advised against**

No further relevant information available.

**Details of the supplier of the safety data sheet**
**Manufacturer**

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Internet:	www.dinol.com	
Responsible Department:	msds@dinol.com	

**Supplier**

Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

**Emergency telephone number:** 3E Company Emergency +1-866-404-4230

**2. Hazard identification**
**Classification of the substance or mixture**
**WHMIS 2015**

Flammable liquids: Flam. Liq. 4  
 Carcinogenicity: Carc. 1A  
 Carcinogenicity: Carc. 2

**Label elements**
**WHMIS 2015**
**Signal word:** Danger

**Pictograms:**

**Hazard statements**

Combustible liquid.  
 May cause cancer.  
 Suspected of causing cancer.

**Precautionary statements**

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.

## Safety Data Sheet

according to WHMIS

### DEKASEAL 1512 BLACK

Date (latest revision): 27.02.2026

Product code: 1517

Page 2 of 9

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 IF exposed or concerned: Get medical advice/attention.  
 Store in a well-ventilated place.  
 Store locked up.

#### Other hazards

Hydrocarbons: This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP. (<1 % Benzene )

### 3. Composition/information on ingredients

#### Mixtures

##### Relevant ingredients

CAS No	Chemical name	Quantity
	Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclics, <2% Aromaten	10 - < 30 % (*)
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	1 - < 5 % (*)
1333-86-4	Ruß (Kohlenstoff, amorph)	0.5 - < 1.5 % (*)

(\*) The actual concentration is withheld as a trade secret.

#### Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

### 4. First-aid measures

#### Description of first aid measures

##### General information

In all cases of doubt, or when symptoms persist, seek medical advice.  
 Never give anything by mouth to an unconscious person or a person with cramps.  
 If unconscious but breathing normally, place in recovery position and seek medical advice.

##### After inhalation

Remove casualty to fresh air and keep warm and at rest.

##### After contact with skin

Change contaminated clothing.  
 After contact with skin, wash immediately with plenty of water and soap.

##### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing. Seek medical advice immediately.

##### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).  
 Do NOT induce vomiting.  
 Call a physician immediately.  
 Put victim at rest, cover with a blanket and keep warm.

#### Most important symptoms and effects, whether acute or delayed

No information available.

#### Indication of immediate medical attention and special treatment needed

No information available.

### 5. Fire-fighting measures

#### Extinguishing media

## DEKASEAL 1512 BLACK

Date (latest revision): 27.02.2026

Product code: 1517

Page 3 of 9

### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Extinguishing powder. Water fog.

### Unsuitable extinguishing media

High power water jet.

### Specific hazards arising from the hazardous product

No further relevant information available.

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

#### For emergency responders

For further specification, refer to section 8 of the SDS.

### Environmental precautions

Do not allow to enter into surface water or drains.

### Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

#### Other information

No information available.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

## Safety Data Sheet

according to WHMIS

### DEKASEAL 1512 BLACK

Date (latest revision): 27.02.2026

Product code: 1517

Page 4 of 9

#### Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.  
 Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.  
 Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

No special measures are necessary.

##### Hints on joint storage

Not required.

##### Further information on storage conditions

No information available.

## 8. Exposure controls/Personal protection

#### Control parameters

#### Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m <sup>3</sup>	Category	Origin
7727-43-7	Barium sulfate (inhalable fraction)		5	TWA (8 h)	ACGIH-2025
1333-86-4	Carbon black (inhalable fraction)		3	TWA (8 h)	ACGIH-2025
14808-60-7	Silica, crystalline - alpha-quartz (respirable fraction)		0.025	TWA (8 h)	ACGIH-2025

#### Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation.  
 If handled uncovered, arrangements with local exhaust ventilation should be used if possible.  
 If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Recommended eye protection articles :  
 Eye glasses with side protection (EN 166)

##### Hand protection

Recommended glove articles :  
 FKM (fluoro rubber), Breakthrough time:: 480 min.  
 NBR (Nitrile rubber), Breakthrough time:: 480 min.  
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
 Protective gloves have to be replaced at the first sign of deterioration.  
 Protect skin by using skin protective cream.

##### Skin protection

Wear anti-static footwear and clothing

##### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.  
 gas filtering equipment (EN 141). Filter material/medium : A

## DEKASEAL 1512 BLACK

Date (latest revision): 27.02.2026

Product code: 1517

Page 5 of 9

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state:	solid
Colour:	black
Odour:	characteristic
Odour threshold:	not determined

#### Test method

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	136-164 °C
Flammability:	not determined
Lower explosive limits:	0,8 vol. %
Upper explosive limits:	6 vol. %
Flash point:	> 70 °C
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	not determined
pH-Value:	The study does not need to be conducted because the substance is known to be insoluble in water.

Viscosity / kinematic:  
(at 40 °C) > 20,5 mm<sup>2</sup>/s

Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water.

Solubility in other solvents  
not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure:  
(at 20 °C) 5 hPa

Vapour pressure:  
(at 50 °C) 30 hPa

Density (at 20 °C): 1,48 g/cm<sup>3</sup> DIN 51757

Relative vapour density: not determined

Particle characteristics: not applicable

#### Other information

##### Information with regard to physical hazard classes

Explosive properties  
not determined

Sustained combustibility: No data available

Self-ignition temperature

Solid: not determined

Gas: not determined

Oxidizing properties

not determined

##### Other safety characteristics

Solvent content: 17,1 %

Solid content: 82,8 %

Softening point: not determined

##### Further Information

No information available.

**DEKASEAL 1512 BLACK**

Date (latest revision): 27.02.2026

Product code: 1517

Page 6 of 9

**10. Stability and reactivity**
**Reactivity**

No hazardous reaction when handled and stored according to provisions.

**Chemical stability**

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

No known hazardous reactions.

**Conditions to avoid**

No further relevant information available.

**Incompatible materials**

No information available.

**Hazardous decomposition products**

Carbon monoxide

**11. Toxicological information**
**Information on toxicological effects**
**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 5000 mg/kg; ATE (dermal) &gt; 5000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 12,5 mg/l

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
	Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclics, <2% Aromaten				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalation vapour	LC50 >5000 mg/l	Rat		
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >5000 mg/l	Rat		
1333-86-4	Ruß (Kohlenstoff, amorph)				
	oral	LD50 > 8000 mg/kg	Rat		

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

**DEKASEAL 1512 BLACK**

Date (latest revision): 27.02.2026

Product code: 1517

Page 7 of 9

May cause cancer.

Suspected of causing cancer. (Ruß (Kohlenstoff, amorph))

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

No information available.

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

No information available.

**Practical experience**

No information available.

**Information on other hazards**
**Endocrine disrupting properties**

Endocrine disrupting potential No information available.

**Further information**

There are no data available on the preparation/mixture itself.

**12. Ecological information**
**Persistence and degradability**

There are no data available on the mixture itself.

**Bioaccumulative potential**

There are no data available on the mixture itself.

**Mobility in soil**

There are no data available on the mixture itself.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

No information available.

**Further information**

There are no data available on the mixture itself.

**13. Disposal considerations**
**Waste treatment methods**
**Disposal recommendations**

Dispose of waste according to applicable legislation.

Do not mix with other wastes.

**Contaminated packaging**

Dispose according to legislation.

**14. Transport information**

## Safety Data Sheet

according to WHMIS

### DEKASEAL 1512 BLACK

Date (latest revision): 27.02.2026

Product code: 1517

Page 8 of 9

#### Canadian TDG

**Proper shipping name:** No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

**UN number or ID number:** No dangerous good in sense of this transport regulation.

**United Nations proper shipping name:** No dangerous good in sense of this transport regulation.

**Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**Packing group:** No dangerous good in sense of this transport regulation.

Marine pollutant: no

#### Air transport (ICAO-TI/IATA-DGR)

**UN number or ID number:** No dangerous good in sense of this transport regulation.

**United Nations proper shipping name:** No dangerous good in sense of this transport regulation.

**Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**Packing group:** No dangerous good in sense of this transport regulation.

#### Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### Other applicable information

Transport classification ADR/IMDG is based on packaging >30ltr(IMDG), <450ltr(ADR).

For other packaging units different classification can apply.

## 15. Regulatory information

#### Canadian regulations

##### DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL/NDSL

##### Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

602348

## 16. Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 11,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

**Safety Data Sheet**

according to WHMIS

**DEKASEAL 1512 BLACK**

Date (latest revision): 27.02.2026

Product code: 1517

Page 9 of 9

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet contains only safety-related information and does not replace product information or product specifications.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*