

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 1 of 9

1. Identification**Product identifier**

DEKASEAL 1512 WHITE

Recommended use of the chemical and restrictions on use**Use of the substance/mixture**

Adhesives, sealants

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet**Manufacturer**

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Internet:	www.dinol.com	
Responsible Department:	msds@dinol.com	

Supplier

Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

Emergency phone number: 3E Company Emergency +1-866-404-4230**2. Hazard(s) identification****Classification of the chemical****29 CFR Part 1910.1200**

Flammable liquids: Flam. Liq. 4

Carcinogenicity: Carc. 1A

Label elements**29 CFR Part 1910.1200****Signal word:** Danger**Pictograms:****Hazard statements**

Combustible liquid

May cause cancer

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 2 of 9

If exposed or concerned: Get medical advice/attention.

Store in a well-ventilated place.

Store locked up.

Hazards not otherwise classified

Hydrocarbons: This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP. (<1 % Benzene)

3. Composition/information on ingredients
Mixtures
Relevant ingredients

CAS No	Components	Quantity
	Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclics, <2% Aromaten	15.46 %
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	1.876 %

Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

4. First-aid measures
Description of first aid measures
General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures
Extinguishing media
Suitable extinguishing media

 alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder. Water fog.

Unsuitable extinguishing media

High power water jet.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 3 of 9

Specific hazards arising from the chemical

No further relevant information available.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapors/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 4 of 9

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions

No information available.

8. Exposure controls/personal protection
Control parameters
Exposure limits

CAS No	Substance	ppm	mg/m ³	Category	Origin
7727-43-7	Barium sulfate (total)	-	10	TWA (8 h)	REL
7727-43-7	Barium sulfate (inhalable fraction)	-	5	TWA (8 h)	ACGIH-2025
7727-43-7	Barium sulfate Respirable fraction	-	5	TWA (8 h)	REL
14808-60-7	Silica, crystalline - alpha-quartz (respirable fraction)	-	0.025	TWA (8 h)	ACGIH-2025
14808-60-7	Silica, crystalline (as respirable dust)	-	0.05	TWA (8 h)	REL
14808-60-7	Silica, crystalline quartz, respirable dust	(Z-3)	(Z-3)	TWA (8 h)	REL

Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment
Eye/face protection

Recommended eye protection articles :

Eye glasses with side protection (EN 166)

Hand protection

Recommended glove articles :

FKM (fluoro rubber), Breakthrough time:: 480 min.

NBR (Nitrile rubber), Breakthrough time:: 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

gas filtering equipment (EN 141). Filter material/medium :A

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 5 of 9

9. Physical and chemical properties
Information on basic physical and chemical properties

Physical state:	solid
Color:	whitish
Odor:	characteristic
Odour threshold:	not determined

Test method

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	136-164 °C
Flammability:	not determined
Lower explosion limits:	0,8 vol. %
Upper explosion limits:	6 vol. %
Flash point:	> 70 °C
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	not determined
pH-Value:	The study does not need to be conducted because the substance is known to be insoluble in water.

Viscosity / kinematic: (at 40 °C)	> 20,5 mm ² /s
--------------------------------------	---------------------------

Water solubility:	practically insoluble
-------------------	-----------------------

Solubility in other solvents	not determined
------------------------------	----------------

Partition coefficient n-octanol/water:	not determined
--	----------------

Vapor pressure: (at 20 °C)	5 hPa
-------------------------------	-------

Vapor pressure: (at 50 °C)	30 hPa
-------------------------------	--------

Density (at 20 °C):	1,48 g/cm ³ DIN 51757
---------------------	----------------------------------

Relative vapour density:	not determined
--------------------------	----------------

Particle characteristics:	not applicable
---------------------------	----------------

Other information
Information with regard to physical hazard classes

Explosive properties

not determined

Oxidizing properties

not determined

Other safety characteristics

Solvent content:	17,3 %
------------------	--------

Solid content:	82,5 %
----------------	--------

Softening point:	not determined
------------------	----------------

Further Information

No information available.

10. Stability and reactivity
Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 6 of 9

Stability: Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

Conditions to avoid

No further relevant information available.

Incompatible materials

No information available.

Hazardous decomposition products

Carbon monoxide

11. Toxicological information
Route(s) of Entry

No information available.

Information on toxicological effects
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
	Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclics, <2% Aromaten				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalation vapour	LC50 >5000 mg/l	Rat		
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >5000 mg/l	Rat		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 7 of 9

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): Silica dust, crystalline, in the form of quartz or cristobalite (CAS 14808-60-7) is listed.

Carcinogenicity (IARC): Silica dust, crystalline, in the form of quartz or cristobalite (CAS 14808-60-7) is listed in group 1.

Carcinogenicity (NTP): Silica dust, crystalline, in the form of quartz or cristobalite (CAS 14808-60-7) is listed in group Known.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards**Endocrine disrupting properties**

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information**Persistence and degradability**

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

There are no data available on the mixture itself.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation.
Do not mix with other wastes.

Contaminated packaging

Dispose according to legislation.

14. Transport information**U.S. DOT 49 CFR 172.101****Proper shipping name:**

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 8 of 9

Marine transport (IMDG)

<u>UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>Packing group:</u>	No dangerous good in sense of this transport regulation.
Marine pollutant:	no

Air transport (ICAO-TI/IATA-DGR)

<u>UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>Packing group:</u>	No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

No dangerous good in sense of this transport regulation.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

15. Regulatory information
U.S. Regulations
National Inventory TSCA

Substance/product listed in the following inventories: TSCA

National regulatory information

SARA Section 311/312 Hazards:

Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclics, <2% Aromaten (-): Fire hazard, Immediate (acute) health hazard

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (-): Fire hazard, Immediate (acute) health hazard

State Regulations
Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Directive 2004/42/EC on VOC in	17,34 %
paints and varnishes:	256,6 g/l

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

602347

16. Other information
Hazardous Materials Identification System (HMIS)

Health:	0
Flammability:	2
Physical Hazard:	0

NFPA Hazard Ratings

Health:	0
Flammability:	2
Reactivity:	0
Unique Hazard:	



Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 1512 WHITE

Revision date: 02/27/2026

Product code: 1512

Page 9 of 9

Changes

Revision date: 02/27/2026

Revision No: 1,6

This data sheet contains changes from the previous version in section(s): 11,16.

Abbreviations and acronymsADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet contains only safety-related information and does not replace product information or product specifications.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)