

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 1 of 9

1. Identification
Product identifier

DEKASEAL 8936 BLACK

Recommended use of the chemical and restrictions on use
Use of the substance/mixture

Adhesives, sealants

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet
Manufacturer

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Internet:	www.dinol.com	
Responsible Department:	msds@dinol.com	

Supplier

Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

Emergency phone number: 3E Company Emergency +1-866-404-4230


2. Hazard(s) identification
Classification of the chemical
29 CFR Part 1910.1200

Carcinogenicity: Carc. 1B

Germ cell mutagenicity: Muta. 1B

Skin corrosion/irritation: Skin Irrit. 2

Label elements
29 CFR Part 1910.1200
Signal word: Danger

Pictograms:

Hazard statements

Causes skin irritation

May cause genetic defects

May cause cancer

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 2 of 9

Read label before use.
 Wash hands thoroughly after handling.
 Wear protective gloves and eye protection/face protection.
 If on skin: Wash with plenty of water and soap.
 Take off contaminated clothing and wash it before reuse.
 If exposed or concerned: Get medical advice/attention.
 Store locked up.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures

Relevant ingredients

CAS No	Components	Quantity
	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	9.12 %
	Hydrocarbons, C6, isoalkanes, <5% n-hexane	6.08 %
1333-86-4	Ruß (Kohlenstoff, amorph)	1 %

Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

4. First-aid measures

Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.
 Never give anything by mouth to an unconscious person or a person with cramps.
 If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.
 After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).
 Do NOT induce vomiting.
 Call a physician immediately.
 Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. Fire-fighting measures

Extinguishing media

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 3 of 9

Suitable extinguishing mediaCarbon dioxide (CO₂) Water spray jet alcohol resistant foam**Unsuitable extinguishing media**

No further relevant information available.

Specific hazards arising from the chemical

No further relevant information available.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapors/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation.
Wear personal protection equipment.
Avoid contact with skin, eyes and clothes.
Avoid breathing dust/fume/gas/mist/vapors/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow to enter into surface water or drains.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Methods and material for containment and cleaning up**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.
Clear contaminated areas thoroughly.
Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7
Personal protection equipment (PPE): see section 8
Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 4 of 9

Keep away from food, drink and animal feedingstuffs.

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

No further relevant information available.

Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions

No further relevant information available.

8. Exposure controls/personal protection
Control parameters
Exposure limits

CAS No	Substance	ppm	mg/m ³	Category	Origin
7727-43-7	Barium sulfate (total)	-	10	TWA (8 h)	REL
7727-43-7	Barium sulfate (inhalable fraction)	-	5	TWA (8 h)	ACGIH-2025
7727-43-7	Barium sulfate Respirable fraction	-	5	TWA (8 h)	REL
1317-65-3	Calcium carbonate (total)	-	10	TWA (8 h)	REL
1317-65-3	Calcium Carbonate Respirable fraction	-	5	TWA (8 h)	REL
1333-86-4	Carbon black (in presence of polycyclic aromatic hydrocarbons (PAHs)) (as PAHs)	-	0.1	TWA (8 h)	REL
1333-86-4	Carbon black (inhalable fraction)	-	3	TWA (8 h)	ACGIH-2025
1333-86-4	Carbon black	-	3.5	TWA (8 h)	REL
115-11-7	Isobutene	250	574	TWA (8 h)	ACGIH-2025
14807-96-6	Talc (containing no asbestos and less than 1% quartz) (resp)	-	2	TWA (8 h)	REL
14807-96-6	Talc (containing no asbestos) respirable dust	706 mp/m ³	-	TWA (8 h)	REL
14807-96-6	Talc containing no asbestos fibers (respirable fraction)	-	2	TWA (8 h)	ACGIH-2025

Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment
Eye/face protection

Recommended eye protection articles :

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 5 of 9

Eye glasses with side protection (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

Thickness of the glove material : > 0,12 mm

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

gas filtering equipment (EN 141), Filter material/medium: A

9. Physical and chemical properties
Information on basic physical and chemical properties

Physical state:	solid
Color:	black
Odor:	characteristic
Odour threshold:	not determined

Test method

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	66-98 °C
Flammability:	not determined
Lower explosion limits:	0,6 vol. %
Upper explosion limits:	7,4 vol. %
Flash point:	> 70 °C
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	not determined
pH-Value:	The study does not need to be conducted because the substance is known to be insoluble in water.
Viscosity / kinematic: (at 40 °C)	> 20,5 mm ² /s
Water solubility:	Immiscible
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapor pressure:	not applicable
Density (at 20 °C):	1,3 g/cm ³ DIN 51757
Relative vapour density:	not determined
Particle characteristics:	not applicable

Other information
Information with regard to physical hazard classes

Explosive properties

not explosive

Sustained combustibility:

No data available

Oxidizing properties

not determined

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 6 of 9

Other safety characteristics

Solvent content:	15,2 %
Solid content:	84,7 %
Softening point:	not determined

Further Information

No information available.

10. Stability and reactivity
Reactivity

No further relevant information available.

Chemical stability

Stability: Stable

No hazardous reaction when handled and stored according to provisions.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

Conditions to avoid

No further relevant information available.

Incompatible materials

No further relevant information available.

Hazardous decomposition products

Carbon monoxide

11. Toxicological information
Route(s) of Entry

No information available.

Information on toxicological effects
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 >2600 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >193 mg/l	Rat		
1333-86-4	Ruß (Kohlenstoff, amorph)				
	oral	LD50 > 8000 mg/kg	Rat		

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 7 of 9

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)

May cause genetic defects (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Talc not containing asbestos or asbestiform fibres (CAS 14807-96-6) is listed in group 2A. Carbon black (CAS 1333-86-4) is listed in group 2B.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information

Persistence and degradability

No further relevant information available.

Bioaccumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 8 of 9

Contaminated packaging

Dispose of waste according to applicable legislation.

14. Transport information

U.S. DOT 49 CFR 172.101

Proper shipping name: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

UN number or ID number: No dangerous good in sense of this transport regulation.

UN proper shipping name: No dangerous good in sense of this transport regulation.

Transport hazard class(es): No dangerous good in sense of this transport regulation.

Packing group: No dangerous good in sense of this transport regulation.

Marine pollutant: no

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: No dangerous good in sense of this transport regulation.

UN proper shipping name: No dangerous good in sense of this transport regulation.

Transport hazard class(es): No dangerous good in sense of this transport regulation.

Packing group: No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

No dangerous good in sense of this transport regulation.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

Other applicable information

Transport classification ADR/IMGD is based on packaging >30ltr(IMDG), <450ltr(ADR).

For other packaging units different classification can apply.

15. Regulatory information

U.S. Regulations

National Inventory TSCA

Substance/product listed in the following inventories: TSCA

National regulatory information

SARA Section 311/312 Hazards:

2-Methylpropene (115-11-7): Fire hazard

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (-): Fire hazard, Delayed (chronic) health hazard,

Immediate (acute) health hazard

Hydrocarbons, C6, isoalkanes, <5% n-hexane (-): Fire hazard, Immediate (acute) health hazard

Ruß (Kohlenstoff, amorph) (1333-86-4): Delayed (chronic) health hazard

Clean Air Act Section 112(r):

2-Methylpropene (115-11-7): Threshold quantities = 10,000 lbs.

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Directive 2004/42/EC on VOC in 15,22 %

paints and varnishes: 197,9 g/l

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

Safety Data Sheet

according to 29 CFR 1910.1200(g)

DEKASEAL 8936 BLACK

Revision date: 02/25/2026

Product code: 1145

Page 9 of 9

666770

16. Other information
Hazardous Materials Identification System (HMIS)

Health:	1
Flammability:	2
Physical Hazard:	0
Personal Protection:	B

NFPA Hazard Ratings

Health:	1
Flammability:	2
Reactivity:	0
Unique Hazard:	none


Changes

Revision date:	02/25/2026
Revision No:	1,6

This data sheet contains changes from the previous version in section(s): 2,11.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)